

AGENTS COMPLIMENTARY COPY.

Telegrams: "HOPIT, WOLVERHAMPTON."

Telephone: 1731 (Five Lines).



# Motor Cycles

## LIST OF PARTS

Applicable only to

4.98 h.p. 1928 O.H.C. MODEL K10.



A. J. STEVENS & CO. (1914) Ltd.,  
GRAISELEY HOUSE, WOLVERHAMPTON,

THE Parts in this List are only applicable to the 4.98 h.p. Overhead Camshaft K10 Machine, and Parts that are similar to the 4.98 h.p. K8 Model will be found either in the 4.98 h.p. 1928 Revision List or the 1926-27 Main Spare Parts List.

---

**SPECIAL NOTE to AGENTS ONLY.**

The interchangeability of parts in this List with the 3.49 h.p. Camshaft Model is shewn by the corresponding 3.49 h.p. Part Number being quoted against parts that are common to both machines.



Quote Part Number,  
Name of Part, Model,  
and Year, when  
Ordering.

**4.98 h.p. 1928 A.J.S. Overhead Camshaft  
(Model K10).**

For  
Agent's  
Use.

| Part No.      | DESCRIPTION OF PART.                                                       | Price.<br>£ s. d. | 3.49 h.p.<br>List No. |
|---------------|----------------------------------------------------------------------------|-------------------|-----------------------|
| <b>Engine</b> |                                                                            |                   |                       |
| G1-7          | Cylinder Head, with Valve Guides .. .. .                                   | 2 7 6             | ..                    |
| G1-10         | Cylinder Head Studs .. .. . each..                                         | 6                 | H20-5                 |
| G1-11         | Cylinder Head Stud Nuts .. .. . each..                                     | 1 0               | ..                    |
| G2-5          | Cylinder Barrel .. .. .                                                    | 1 8 6             | ..                    |
| G14-7         | Piston, complete, with Rings, Gudgeon Pin, etc. (Low compression) ..       | 1 1 6             | ..                    |
|               | Piston, complete, with Rings, Gudgeon Pin, etc. (Special high compression) | 1 0 8             | ..                    |
| G15-7         | Piston Body only (Low compression) .. .. .                                 | 15 0              | ..                    |
| G15-8         | Piston Body only (Special high compression) .. .. .                        | 15 0              | ..                    |
| G17-3         | Valve, complete, with Springs, etc. (Inlet or Exhaust) .. .. .             | 12 9              | ..                    |
| G18-2         | Valve Stem only (Inlet or Exhaust) .. .. .                                 | 10 0              | ..                    |
| G22-1A1       | Valve Guide Exhaust .. .. .                                                | 2 0               | ..                    |
| G22-1B1       | Valve Guide Inlet .. .. .                                                  | 2 0               | ..                    |
| G26-1         | Exhaust Lifter Lever.. .. .                                                | 2 6               | H123-1                |
| G26-2         | Pin for above .. .. .                                                      | 4                 | H123-2                |
| G35-4         | Mainshaft (Timing Side) .. .. .                                            | 7 6               | H196-2                |
| G37-4         | Mainshaft Ball Race (Timing Side) .. .. .                                  | 10 0              | H207-2                |
| G38-3A        | Mainshaft (Driving Side) .. .. .                                           | 9 6               | ..                    |
| G40-2B        | Mainshaft Ball Race (Driving Side) .. .. .                                 | 10 0              | H212-2                |
| G40-4A        | Distance Piece for Mainshaft (Timing Side) .. .. .                         | 9                 | H216-1                |
| G40-6A        | Distance Piece for Mainshaft (Driving Side) .. .. .                        | 6 6               | ..                    |
| G43-2         | Small Timing Pinion .. .. .                                                | 3 3               | H268-2                |
| G50-2         | O.H.C. Camshaft .. .. .                                                    | 1 5 0             | ..                    |
| G50-3         | O.H.C. Camshaft Sprocket .. .. .                                           | 4 0               | H288-3                |
| G50-4         | O.H.C. Sprocket Sleeve .. .. .                                             | 2 6               | H288-4                |
| G50-5         | O.H.C. Sleeve Washer .. .. .                                               | 1 3               | H288-5                |
| G50-7         | O.H.C. Camshaft Nut .. .. .                                                | 1 0               | H288-7                |
| G50-8         | O.H.C. Camshaft Bearings .. .. . each..                                    | 8 9               | H218-8                |

Quote Part Number,  
Name of Part, Model,  
and Year, when  
Ordering.

**4.98 h.p. 1928 A.J.S. Overhead Camshaft  
(Model K10).**

Ordering.

| Part No.                 | DESCRIPTION OF PART.                               | Price.<br>£ s. d. | 3-49 h.p.<br>List No. |
|--------------------------|----------------------------------------------------|-------------------|-----------------------|
| <b>Engine—Continued.</b> |                                                    |                   |                       |
| G50-9                    | O.H.C. Timing Gear Sprocket .. .. .                | 10 6              | H288-9                |
| G50-10                   | O.H.C. Timing Wheel .. .. .                        | 8 6               | H288-10               |
| G50-11                   | O.H.C. Timing Gear Shaft .. .. .                   | 2 6               | H288-11               |
| G50-12                   | Ball Race for Timing Gear Shaft .. .. . each..     | 8 0               | H288-12               |
| G50-13                   | O.H.C. Tensioner Blade .. .. .                     | 1 0               | ..                    |
| G50-13A                  | O.H.C. Tensioner Coil Spring .. .. .               | 1 0               | H288-13A              |
| G50-14                   | Tensioner Pin (Top) .. .. .                        | 4                 | H288-14               |
| G50-15                   | Tensioner Pin (Bottom) .. .. .                     | 1 0               | H288-15               |
| G50-16                   | O.H.C. Slider .. .. .                              | 8                 | H288-16               |
| G50-17                   | O.H.C. Slider Spring .. .. .                       | 4                 | H288-17               |
| G50-18                   | O.H.C. Slider Spring Pin (Large head) .. .. .      | 3                 | H288-18               |
| G50-19                   | O.H.C. Slider Spring Pin (Small head) .. .. .      | 3                 | H288-19               |
| G53-3                    | O.H.C. Rocker, with Studs (Inlet) .. .. .          | 15 0              | ..                    |
| G54-1B                   | O.H.C. Rocker, with Studs (Exhaust) .. .. .        | 15 0              | ..                    |
| G54-3                    | O.H.C. Rocker Box .. .. .                          | 1 5 0             | H164-3                |
| G54-4                    | O.H.C. Rocker Box Cover .. .. .                    | 5 6               | H164-4                |
| G54-5                    | O.H.C. Rocker Box Cover Pin .. .. . each..         | 4                 | H164-5                |
| G54-6                    | O.H.C. Rocker Box End Cap .. .. .                  | 3 3               | H164-6                |
| G54-7                    | O.H.C. Rocker Box End Cap Pins .. .. . each..      | 3                 | H164-7                |
| G54-8                    | O H.C. Spider Bearing .. .. .                      | 3 6               | H164-8                |
| G54-9                    | Pins for Spider Bearing .. .. .                    | 3                 | H164-9                |
| G54-10                   | O.H.C. Inspection Cap .. .. .                      | 1 6               | H164-10               |
| G54-11                   | O.H.C. Inspection Cap Pins .. .. . each..          | 4                 | H164-11               |
| G54-12                   | O.H.C. Rocker Box Distance Pillars .. .. . each..  | 1 6               | H164-12               |
| G54-13                   | O.H.C. Rocker Box Holding-down Pins .. .. . each.. | 6                 | H164-13               |
| G54-14                   | Washer for Rocker Box .. .. .                      | 6                 | H164-14               |
| G54-15                   | Cork Washers for O.H.C. Rockers .. .. . set..      | 6                 | H164-15               |

Quote Part Number,  
Name of Part, Model,  
and Year, when  
Ordering.

**4.98 h.p. 1928 A.J.S. Overhead Camshaft  
(Model K10).**

| Name of Part, Model, and Year, when Ordering. |                                                      | 4.98 h.p. 1928 A.S.B. Overhead Camshaft (Model K10). |    |    | For Agent's Use. |  |
|-----------------------------------------------|------------------------------------------------------|------------------------------------------------------|----|----|------------------|--|
| Part No.                                      | DESCRIPTION OF PART.                                 | Price.                                               |    |    | 3.49 h.p.        |  |
|                                               |                                                      | £                                                    | s. | d. | List No.         |  |
| Engine—Continued.                             |                                                      |                                                      |    |    |                  |  |
| G55-5                                         | O.H.C. Rocker Stud (Cam End) .. .. .                 |                                                      |    | 9  | HI74-2           |  |
| G56-1                                         | O.H.C. Rocker Bush .. .. .                           | 2                                                    | 6  |    | ..               |  |
| G57-2                                         | O.H.C. Rocker Spindle .. .. .                        | 3                                                    | 0  |    | HI82-2           |  |
| G59-1                                         | O.H.C. Rocker Stud (Valve End) .. .. .               | 4                                                    |    |    | HI75-1           |  |
|                                               | Nut for above (as G55-4) .. .. .                     | 1                                                    |    |    | HI74-3           |  |
| G68-6                                         | Crankcase Half, without Races (Timing Side) .. .. .  | 1                                                    | 17 | 6  | ..               |  |
| G69-5                                         | Crankcase Half, without Races (Driving Side) .. .. . | 1                                                    | 17 | 6  | ..               |  |
| G71-5                                         | O.H.C. Chain Cover .. .. .                           | 15                                                   | 0  |    | ..               |  |
| G71-6                                         | Chain Cover Fabric .. .. . pair..                    | 1                                                    | 6  |    | ..               |  |
| G71-7                                         | Rivets for Fabric .. .. . dozen..                    | 4                                                    |    |    | H249-4           |  |
| G71-8                                         | O.H.C. Chain Cover Cap .. .. .                       | 12                                                   | 6  |    | ..               |  |
| G71-9                                         | Pins for Chain Cover (Long) .. .. . each..           | 5                                                    |    |    | H249-6           |  |
| G71-10                                        | Pins for Chain Cover (Short) .. .. . each..          | 3                                                    |    |    | H249-7           |  |
| G71-11                                        | Pins for Chain Cover Cap .. .. . each..              | 4                                                    |    |    | H249-8           |  |
| G72-A                                         | Oil Release Pipe and Union Nut.. .. .                | 1                                                    | 6  |    | ..               |  |
| G73-5                                         | Flywheel (Timing Side) .. .. .                       | 16                                                   | 6  |    | ..               |  |
| G74-5                                         | Flywheel (Driving Side) .. .. .                      | 16                                                   | 6  |    | ..               |  |
| G89-1                                         | Engine Sprocket Sleeve .. .. .                       | 3                                                    | 3  |    | ..               |  |
| G90-1                                         | Engine Sprocket Sleeve Nut .. .. .                   | 6                                                    |    |    | ..               |  |
| G93-2                                         | Magneto Platform .. .. .                             | 3                                                    | 6  |    | ..               |  |
| G99-1                                         | Oil Filter .. .. .                                   | 2                                                    | 0  |    | H326-1           |  |
| G99-2                                         | Oil Filter Connection.. .. .                         | 9                                                    |    |    | H326-2           |  |
| G99-3                                         | Oil Regulator Needle Valve .. .. .                   | 1                                                    | 6  |    | H326-3           |  |
| G99-4                                         | Locking Plate for Needle Valve.. .. .                | 3                                                    |    |    | H326-4           |  |
| G99-5                                         | Pin for Locking Plate .. .. .                        | 1                                                    |    |    | H326-5           |  |
| G99-6                                         | Crankcase Oil-Gland Nut .. .. .                      | 8                                                    |    |    | H326-6           |  |
| G99-7                                         | Oil Hole Plug .. .. .                                | 2                                                    |    |    | H326-7           |  |



Quote Part Number,  
Name of Part, Model,  
and Year, when  
Ordering.

**4.98 h.p. 1928 A.J.S. Overhead Camshaft  
(Model K10).**

| Name of Part, Model, and Year, when Ordering. |                                                               | 4.98 n.p. 1928 A.J.S. Overhead Camshaft (Model K10). |    | For Agent's Use    |         |
|-----------------------------------------------|---------------------------------------------------------------|------------------------------------------------------|----|--------------------|---------|
| Part No.                                      | DESCRIPTION OF PART.                                          | Price.<br>£ s. d.                                    |    | 3.49 h.p. List No. |         |
| Gearbox.                                      |                                                               |                                                      |    |                    |         |
| G102-5                                        | Gearbox, complete, with Clutch only (Non-Footstarter type) .. | 10                                                   | 10 | 0                  | ..      |
| Rear Wheel.                                   |                                                               |                                                      |    |                    |         |
| G221-4                                        | Rear Wheel, complete, with Sprocket, less Tyre .. ..          | 4                                                    | 2  | 6                  | ..      |
| Rear Brake Drum and Expanding Brake Parts.    |                                                               |                                                      |    |                    |         |
| G234-1                                        | Anchor Plate .. .. .                                          | 10                                                   | 0  | ..                 | ..      |
| G242-3                                        | Bolt for Rear Sprocket (7/16 x 13/16 in.) .. .. .             | 3                                                    | .. | ..                 | ..      |
| G242-4                                        | Nut for above (7/16 in.) .. .. .                              | 2                                                    | .. | ..                 | ..      |
| Footrests.                                    |                                                               |                                                      |    |                    |         |
| G253-2                                        | Footrests, complete, with Pedal, Spindle and Plates .. ..     | 1                                                    | 2  | 6                  | H1174-2 |
| G254-1A                                       | Footrest Rod only .. .. .                                     | 10                                                   | .. | ..                 | H1183-2 |
| G255-1                                        | Footrest Distance Tube in Gearbox Bracket .. .. .             | 1                                                    | 0  | ..                 | H1186-3 |
| G258-1                                        | Footrest Distance Tube (Long) (L.H. or R.H.) .. .. .          | 5                                                    | .. | ..                 | H1186-2 |
| G265-3                                        | Rear Brake Pedal only (L.H.) .. .. .                          | 7                                                    | 6  | ..                 | H743-1  |
| G265-4                                        | Front Brake Pedal only (R.H.) .. .. .                         | 7                                                    | 6  | ..                 | H743-2  |
| G266-1                                        | Rear Brake Pedal Spindle .. .. .                              | 1                                                    | 3  | ..                 | H746-2  |
| G266-3                                        | Spindle for Front and Rear Brake Pedals (Combined) .. ..      | 2                                                    | 0  | ..                 | H746-3  |
| G266-5                                        | Distance Tube for Brake Pedal Spindle .. .. .                 | 4                                                    | .. | ..                 | H751-1  |
| G266-6                                        | Plates for Brake Pedal Spindle .. .. . each..                 | 4                                                    | .. | ..                 | H751-2  |
| G271-1                                        | Footrest Arm only .. .. .                                     | 2                                                    | 9  | ..                 | ..      |
| G272-2                                        | Brake Operating Rod only .. .. .                              | 1                                                    | 9  | ..                 | ..      |
| Front Mudguard.                               |                                                               |                                                      |    |                    |         |
| G274-2                                        | Front Mudguard, less Stays .. .. .                            | 9                                                    | 3  | ..                 | ..      |
| G276-1A                                       | Stay for Front Mudguard (Long) (L.H. or R.H.) .. .. pair..    | 2                                                    | 3  | ..                 | ..      |
| G276-1B                                       | Stay for Front Mudguard (Short) (L.H. or R.H.) .. .. pair..   | 2                                                    | 3  | ..                 | ..      |

Quote Part, Number,  
Name of Part, Model,  
and Year, when  
Ordering.

**4.98 h.p. 1928 A.J.S. Overhead Camshaft  
(Model K10).**

| Ordering.          |                                                   | 3.49 h.p.         |          |
|--------------------|---------------------------------------------------|-------------------|----------|
| Part No.           | DESCRIPTION OF PART.                              | Price.<br>£ s. d. | List No. |
| Rear Mudguard.     |                                                   |                   |          |
| G279-1A            | Rear Mudguard only .. .. .                        | 6 6               | ..       |
| G279-2A            | Rear Mudguard Stay only (L.H. or R.H.).. ..       | 1 3               | ..       |
| G279-2B            | Rear Mudguard Stay, with Lifting Handle .. ..     | 6 6               | ..       |
| Tool Cases.        |                                                   |                   |          |
| G283-4             | Tank Tool Box and Pins .. .. .                    | 16 6              | ..       |
|                    | Pins only for above (as G270) .. .. . each ..     | 2                 | ..       |
| Chainguard.        |                                                   |                   |          |
| G284-2             | Chainguard, complete, with Fittings .. .. .       | 1 12 6            | ..       |
| G287-I             | Rear Portion of Chaincase .. .. .                 | 8 6               | ..       |
| Tank and Fittings. |                                                   |                   |          |
| G290-3             | Petrol Tank, without Fittings .. .. .             | 4 2 6             | ..       |
| G294-1A            | Petrol Pipe, with Unions .. .. .                  | 4 6               | ..       |
| G297-5             | Oil Pipe from Sump to M.O.P. .. .. .              | 5 6               | ..       |
| G297-6             | Oil Pipe from M.O.P. to D.S. Crankcase .. ..      | 6 6               | ..       |
| G297-7             | Oil Pipe from M.O.P. to O.H. Camshaft Box .. ..   | 4 0               | ..       |
| G297-8             | Oil Pipe from Oil Tank to M.O.P. (Delivery) .. .. | 5 0               | ..       |
| G297-9             | Oil Pipe from M.O.P. to Tank (Return) .. ..       | 5 6               | ..       |
| G297-10            | Oil Pipe from Tank to Front Chain .. .. .         | 4 0               | ..       |
| G297-11            | Regulator Needle and Knob for above .. .. .       | 2 0               | ..       |
| G335-2             | Handlebars only, less Grips .. .. .               | 1 1 0             | ..       |
| Magneto.           |                                                   |                   |          |
| G340-I             | Magneto Sprocket .. .. .                          | 3 0               | HI391-I  |
| G341-I             | Magneto Sprocket Sleeve .. .. .                   | 1 9               | HI393-I  |
| G342-I             | Magneto Sprocket Rubber Washer .. .. .            | 6                 | HI394-I  |

Where Part Number is given in brackets this number should be quoted.

Quote Part Number,  
Name of Part, Model,  
and Year, when  
Ordering.

4.98 h.p. 1928 A.J.S. Overhead Camshaft  
(Model K10).

For  
Agent's  
Use.

| Part No.                          | DESCRIPTION OF PART.                                                | Price.<br>£ s. d. | 3.49 h.p.<br>List No. |
|-----------------------------------|---------------------------------------------------------------------|-------------------|-----------------------|
| <b>Exhaust System.</b>            |                                                                     |                   |                       |
| G347-5                            | Exhaust System, complete, with Lock Ring and Clips .. ..            | 1 15 6            | ..                    |
| G348-5                            | Exhaust Pipe only .. .. .                                           | 12 6              | ..                    |
| G349-2                            | Lock Ring for Exhaust Pipe .. .. .                                  | 4 6               | H1262                 |
| G351-5                            | Front Extension Pipe only .. .. .                                   | 1 9               | H1225-1               |
| <b>Driving Chains.</b>            |                                                                     |                   |                       |
| G358-2                            | Camshaft Driving Chain .. .. .                                      | 7 1               | ..                    |
| G359-2                            | Magneto Driving Chain .. .. .                                       | 4 11              | ..                    |
| <b>Carburetter (Binks').</b>      |                                                                     |                   |                       |
| G366-A4                           | Binks' 2-Jet Carburetter, complete, with Air Lever, Cables, etc. .. | 3 3 0             | ..                    |
| G366-5                            | Carburetter Body, Jet Seat and Choke .. .. .                        | 1 0 0             | ..                    |
| <b>Control Levers and Cables.</b> |                                                                     |                   |                       |
| G390                              | Air Control Lever, complete, with Cable .. .. .                     | 12 0              | ..                    |
| G391                              | Air Control Lever, complete, less Cable : .. .. .                   | 7 6               | ..                    |
| G401                              | Magneto Control Lever, complete, with Cable .. .. .                 | 6 4               | ..                    |
| G402                              | Magneto Control Lever, less Cable .. .. .                           | 4 3               | H1041                 |
| G402-I                            | Base and Clip for above Control.. .. .                              | 1 6               | H1042                 |
| G402-2                            | Clip Pin for above .. .. .                                          | 4                 | H1043                 |
| G402-3                            | Centre Pin for above .. .. .                                        | 3                 | H1044                 |
| G402-4                            | Top Plate .. .. .                                                   | 6                 | H1045                 |
| G402-5                            | Lever only .. .. .                                                  | 2 3               | H1049                 |
| G402-6                            | Flat Spring Washer .. .. .                                          | 3                 | H1050                 |
| G402-7                            | Fibre Friction Washer .. .. .                                       | 3                 | H1051                 |
| G406-A                            | Valve Lifter Cable complete .. .. .                                 | 3 6               | ..                    |
| G406-1A                           | Valve Lifter Cable Outer Casing .. .. .                             | 2 3               | ..                    |
| G406-2A                           | Valve Lifter Cable Inner Wire .. .. .                               | 8                 | ..                    |




Quote Part Number,  
Name of Part, Model,  
and Year, when  
Ordering.

4.98 h p. 1928 A.J.S. Overhead Camshaft  
(Model K10).

| Part No.                    | DESCRIPTION OF PART.                      | Price. |    |    | 3.49 h.p.<br>List No. |
|-----------------------------|-------------------------------------------|--------|----|----|-----------------------|
|                             |                                           | £      | s. | d. |                       |
| O.H.C. Mechanical Oil Pump. |                                           |        |    |    |                       |
| G476-32A                    | Mechanical Oil Pump, complete, less Pipes | 1      | 7  | 6  | HI370                 |
| G476-32AI                   | Pump Body only                            | 10     | 6  |    | HI370-1               |
| G476-32A2                   | Plunger                                   | 6      | 0  |    | HI370-2               |
| G476-32A3                   | Driving Worm                              | 2      | 3  |    | HI370-3               |
| G476-32A4                   | Driving Worm Bush                         | 1      | 0  |    | HI370-4               |
| G476-32A5                   | End Plugs                                 | 1      | 0  |    | HI370-5               |
| G476-32A6                   | Cam Screw                                 | 6      |    |    | HI370-6               |
| G476-32A7                   | Joint Washer                              | 1      |    |    | HI370-7               |
| G476-32A8                   | Oil Unions                                | 6      |    |    | HI370-8               |
| G476-32A9                   | Pump Driver                               | 5      |    |    | HI370-9               |
| Separate Oil Tank.          |                                           |        |    |    |                       |
| G476-34B                    | Separate Oil Tank, with Fittings          | 2      | 5  | 0  | ..                    |
| G476-34D                    | Rear Guard Strip for above                | 1      | 0  |    | ..                    |

## Engine.



*Notes*

*1/1*

*1/1*

*1/1*

*1/1*

HARRIS & CRESSWELL, PRINTERS,  
WORCESTER ST., WOLVERHAMPTON.

*1-1*

*7th month  
Blade:*

*1/10*

*1/10*

*1/10*